UMENTATION PAGE

M48 W.



AD-A264 705 Son soft matted to sherrage of the tring and review in a find to the sherrage of the sherrage in the sherrage of t

ducing this durden it? Wish nation whiad parties and to the Office of Standagement and rudgets.

2. REPORT DATE

3 REPORT TYPE AND DATES COVERED FINAL/01 NOV 89 TO 31 OCT 92

4. TITLE AND SUBTITLE

"ANALYSIS AND COMPUTATION FOR VORTEX DYNAMICS AND RAREFIED GASES" (U

6. AUTHOR(S)

Professor Russel Caflisch

2304/44 AFOSR - 90 - 0013

5 FUNDING NUMBERS

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

YAle Liniv University of California

Dept of Mathematical Sciences New Haven CT 06511

PERFORMING ORGANIZATION REPORT NUMBER

AFOSR-TR-

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADD

AFOSR/NM 110 DUNCAN AVE, SUTE B115

BOLLING AFB DC 20332-0001

10. SPONSORING MONITORING AGENCY PEPORT NUMBER

AFOSR-90-0013

11. SUPPLEMENTARY NOTES

93-11304

12a. DISTRIBUTION / AVAILABILITY STATEMENT

APPROVED FOR PUBLIC RELEASE: DISTRIBUTION IS UNLIMITED

UL

The researchers have developed a variety of adapted orthogonal transforms for signal compression and analysis. These methods have been used successfully in sound and high resolution image compression and are currently being tested for their technological value. In parallel, thes best basis algorithm has been used by K. Sreenivasan for analysis of experimental turbulence data, and by M. Farge and V. Wickerhauser for the analysis of simulated two dimensional vorticity fields. This analysis permilts a more careful comparison between simulation and experiment by detecting subltle differences in structures. By extracting coherent structures in the flows it promises to permit efficient tracking of these structures. In particular, as a result of testing by the FBI and Scotland Yard, a variant of these algorithms has been chosen for as a standard for fingerprint image compression with an estimated initial saving to the FBI in storage hardware alone of \$25,000,000. These methods are also being tested, in collaboration with Martin Marietta, for automatic target recognition.

14. SUBJECT TERMS			15 NUMBER OF PAGES 2
			16 PRICE CODE
17. SECURITY CLASSIFICATION OF REPORT	18. SECURITY CLASSIFICATION OF THIS PAGE	19. SECURITY CLASSIFICATION OF ABSTRACT	26 LIMITATION OF ABSTRACT
UNCLAS IFIED	UNCLASSIFIED	UNCLASSIFIED	SAR
1010 T04 U1 L80 FF08			

AFOSR Wavelet Analysis Grant # AFOSR-90-0013 Final Report Dec 1992

Wavelet Analysis and Signal Processing.

R. Coifman, in collaboration with V. Wickerhauser, has developed a variety of adapted orthogonal transforms for signal compression and analysis. These methods have been used successfully in sound and high resolution image compression and are currently being tested for their technological value.

In parallel, the best basis algorithm has been used by K. Sreenivasan for analysis of experimental turbulence data, and by M. Farge and V. Wickerhauser for the analysis of simulated two dimensional vorticity fields. This analysis permits a more careful comparison between simulation and experiment by detecting subtle differences in structures. By extracting coherent structures in the flows it promises to permit efficient tracking of these structures. In particular, as a result of testing by the FBI and Scotland Yard, a variant of these algorithms has been chosen as a standard for fingerprint image compression (with an estimated initial saving to the FBI in storage hardware alone of \$25,000,000).

These methods are also being tested, in collaboration with Martin Marietta, for automatic target recognition. The detailed properties of frequency localization of wavelet packets have been understood, indicating some loss of localization for high sequency numbers, see ref. To circumvent these limitations Meyer and Coifman have constructed localized trigonometric orthogonal bases. These new libraries of o.n bases can be used in conjunction with the best basis algorithm to provide good parameter extraction and compression methods. These are being tested and compared to other methods now.

In particular, the local trigonometric bases are ideally suited for fast computational tasks involving oscillatory problems such as solution of acoustic and electromagnetic scattering. Software for testing these methods has been developed by Fang, who also showed their efficiency as numerical tools.

Software permitting testing and evaluations of the tools mentioned above is being developed in a variety of formats and configurations and is being made availably by ftp.

References

- [CW] R.R. Coifman and M.V. Wickerhauser, Best-adapted wavelet packet bases, preprint, Yale University, February, 1990.
- [CM] R.R. Coifman et Yves Meyer, Signal procession and compression with wavelet packets, to appear in Proc. Wavelet Conf. Marseille 90.
- [CM] R.R. Coifman, Yves Meyer, V. Wickerhauser, Wavelet analysis and signal processing, to appear in "Wavelets and Their Applications", Jones and Bartlett Publishers, Jan. 1992.
- [CM] R.R. Coifman, Yves Meyer, V. Wickerhauser, Size properties of wavelet packets, to appear in "Wavelets and Their Applications", Jones and Bartlett Publishers, Jan. 1992.
- [CM] R.R. Coifman et Yves Meyer, Nouvelles bases orthonormées de $L^2(\mathbb{R})$ ayant la structure du système de Walsh, preprint, Yale University, 1989.
- [W1] M.V. Wickerhauser, Acoustic signal compression with wavelet packets, preprint, Yale University, August, 1989.
- [W2] M.V. Wickerhauser, Picture compression by best-basis wavelet packet coding, preprint, Yale University, January, 1990.

The second secon

Accesion For		
NTIS CRA&I DTIC TAB Unannounced Justification		
By		
Availability Codes		
Dist	Avail and/or Special	
A-1		